



Test Report

Number: SZHH01035830

Applicant: SHENZHEN ZAMMU MECHANICAL & ELECTRICAL
CO., LTD
FLOOR 5, BUILDING 2, BAOYUDA LOGISTICS
CENTER. XIXIANG, BAOAN DISTRICT, SHENZHEN
Attn: MRS LIU

Date: Mar 17, 2016

Sample Description:

One (1) submitted sample said to be 橡胶同步带.
Country of Origin : China.
Date Sample Received : Mar 10, 2016.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

<u>Tested Sample</u>	<u>Standard</u>	<u>Result</u>
Tested component of submitted sample	EU REACH Regulation No 1907/2006 Article 33(1) Obligation to provide information of safe use (see REACH requirement in report for details)	Meet requirement

Authorized by:
For Intertek Testing Services
Shenzhen Ltd.

Ben N.L. Lin
General Manager



Page 1 of 12

Intertek Testing Services Shenzhen Ltd.- Hardlines

深圳天祥质量技术服务有限公司-轻工产品事业部

301A, 302B, 6/F. 7/F Shekou Technology Main Bldg. and Room 1E of Nanshan Building,

Nanhai Ave., Nanshan District, Shenzhen, China

深圳市南山区南海大道科技大厦 301A、302B、六层、七层、南山大厦 1 楼 1E 房

Tel: (86-755) 2602 0111 Fax: (86-755) 2683 7118/9 Postcode: 518067

www.intertek.com www.intertek.com.cn China Toll-Free: 400 886 9926

Attention is drawn to the terms and conditions printed overleaf.

Test Report

Number: SZHH01035830

Tests Conducted

1 (I) SVHC Testing Results

By Inductively Coupled Plasma Optical Emission Spectrometry, Ion Chromatography, UV-Visible Spectrophotometry, Gas Chromatographic - Mass Spectrometry, Liquid Chromatographic - Mass Spectrometry and High Performance Liquid Chromatography analysis.

Chemical Substance		CAS No.	Results % (w/w) Tested component (1)
1	Cobalt Dichloride Δ	7646-79-9	ND
2	Diarsenic Pentaoxide Δ	1303-28-2	ND
3	Diarsenic Trioxide Δ	1327-53-3	ND
4	Lead Hydrogen Arsenate Δ	7784-40-9	ND
5	Triethyl Arsenate Δ	15606-95-8	ND
6	Sodium Dichromate Δ	7789-12-0, 10588-01-9	ND
7	Bis (Tributyltin) Oxide (TBTO) Δ	56-35-9	ND
8	Anthracene	120-12-7	ND
9	4,4'-Diaminodiphenylmethane (MDA)	101-77-9	ND
10	Hexabromocyclododecane (HBCDD) and All Major Diastereoisomers Identified (α-HBCDD, β-HBCDD, γ-HBCDD)	25637-99-4 and 3194-55-6 (134237-50-6, 134237-51-7, 134237-52-8)	ND
11	5-Tert-Butyl-2,4,6-Trinitro-m-Xylene (Musk Xylene)	81-15-2	ND
12	Bis (2-Ethylhexyl) Phthalate (DEHP)	117-81-7	ND
13	Dibutyl Phthalate (DBP)	84-74-2	ND
14	Benzyl Butyl Phthalate (BBP)	85-68-7	ND
15	Short Chain Chlorinated Paraffins (C ₁₀₋₁₃)	85535-84-8	ND
16	Lead Chromate Δ	7758-97-6	ND
17	Lead Chromate Molybdate Sulphate Red (C.I. Pigment Red 104) Δ	12656-85-8	ND
18	Lead Sulfochromate Yellow (C.I. Pigment Yellow 34) Δ	1344-37-2	ND
19	Tris (2-Chloroethyl) Phosphate	115-96-8	ND
20	2,4-Dinitrotoluene	121-14-2	ND



Intertek Testing Services Shenzhen Ltd.- Hardlines

深圳天祥质量技术服务有限公司-轻工产品事业部

301A, 302B, 6/F. 7/F Shekou Technology Main Bldg. and Room 1E of Nanshan Building,

Nanhai Ave., Nanshan District, Shenzhen, China

深圳市南山区南海大道科技大厦 301A、302B、六层、七层、南山大厦 1 楼 1E 房

Tel: (86-755) 2602 0111 Fax: (86-755) 2683 7118/9 Postcode: 518067

www.intertek.com www.intertek.com.cn China Toll-Free: 400 886 9926

Attention is drawn to the terms and conditions printed overleaf.

Test Report

Number: SZHH01035830

Tests Conducted

Chemical Substance		CAS No.	Results % (w/w) Tested component (1)
21	Diisobutyl Phthalate (DIBP)	84-69-5	ND
22	Coal Tar Pitch, High Temperature	65996-93-2	ND
23	Anthracene Oil	90640-80-5	ND
24	Anthracene Oil, Anthracene Paste, Distn. Lights	91995-17-4	ND
25	Anthracene Oil, Anthracene Paste, Anthracene Fraction	91995-15-2	ND
26	Anthracene Oil, Anthracene-low	90640-82-7	ND
27	Anthracene Oil, Anthracene Paste	90640-81-6	ND
28	Acrylamide	79-06-1	ND
29	Boric Acid Δ	10043-35-3, 11113-50-1	ND
30	Disodium Tetraborate, Anhydrous Δ	1330-43-4, 12179-04-3, 1303-96-4	ND
31	Tetraboron Disodium Heptaoxide, Hydrate Δ	12267-73-1	ND
32	Sodium Chromate Δ	7775-11-3	ND
33	Potassium Chromate Δ	7789-00-6	ND
34	Ammonium Dichromate Δ	7789-09-5	ND
35	Potassium Dichromate Δ	7778-50-9	ND
36	Trichloroethylene	79-01-6	ND
37	2-Methoxyethanol	109-86-4	ND
38	2-Ethoxyethanol	110-80-5	ND
39	Cobalt Sulphate Δ	10124-43-3	ND
40	Cobalt Dinitrate Δ	10141-05-6	ND
41	Cobalt Carbonate Δ	513-79-1	ND
42	Cobalt Diacetate Δ	71-48-7	ND
43	Chromium Trioxide Δ	1333-82-0	ND
44	Chromic Acid Δ Dichromic Acid Δ Oligomers of Chromic Acid and Dichromic Acid Δ	7738-94-5 13530-68-2 --	ND
45	Strontium ChromateΔ	7789-06-2	ND
46	2-ethoxyethyl acetate (2-EEA)	111-15-9	ND
47	1,2-Benzenedicarboxylic acid, di-C ₇₋₁₁ -branched and linear alkyl esters (DHNUP)	68515-42-4	ND
48	Hydrazine	7803-57-8 302-01-2	ND
49	1-methyl-2-pyrrolidone	872-50-4	ND



Intertek Testing Services Shenzhen Ltd.- Hardlines

深圳天祥质量技术服务有限公司-轻工产品事业部

301A, 302B, 6/F. 7/F Shekou Technology Main Bldg. and Room 1E of Nanshan Building,

Nanhai Ave., Nanshan District, Shenzhen, China

深圳市南山区南海大道科技大厦 301A、302B、六层、七层、南山大厦 1 楼 1E 房

Tel: (86-755) 2602 0111 Fax: (86-755) 2683 7118/9 Postcode: 518067

www.intertek.com www.intertek.com.cn China Toll-Free:400 886 9926

Attention is drawn to the terms and conditions printed overleaf.

Test Report

Number: SZHH01035830

Tests Conducted

Chemical Substance		CAS No.	Results % (w/w) Tested component (1)
50	1,2,3-trichloropropane	96-18-4	ND
51	1,2-Benzenedicarboxylic acid, di-C ₆₋₈ -branched alkyl esters, C ₇ -rich (DIHP)	71888-89-6	ND
52	Lead dipicrateΔ	6477-64-1	ND
53	Lead styphnateΔ	15245-44-0	ND
54	Lead azide; Lead diazideΔ	13424-46-9	ND
55	Phenolphthalein	77-09-8	ND
56	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4	ND
57	N,N-dimethylacetamide (DMAC)	127-19-5	ND
58	Trilead diarsenateΔ	3687-31-8	ND
59	Calcium arsenateΔ	7778-44-1	ND
60	Arsenic acidΔ	7778-39-4	ND
61	Bis(2-methoxyethyl) ether	111-96-6	ND
62	1,2-Dichloroethane	107-06-2	ND
63	4-(1,1,3,3-tetramethylbutyl)phenol, (4-tert-Octylphenol)	140-66-9	ND
64	2-Methoxyaniline; o-Anisidine	90-04-0	ND
65	Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	ND
66	Formaldehyde, oligomeric reaction products with aniline (technical MDA)	25214-70-4	ND
67	Pentazinc chromate octahydroxideΔ	49663-84-5	ND
68	Potassium hydroxyoctaoxodizincate di-chromateΔ	11103-86-9	ND
69	Dichromium tris(chromate)Δ	24613-89-6	ND
70	Aluminosilicate Refractory Ceramic Fibres Δ	(Index No. 650-017-00-8)	ND
71	Zirconia Aluminosilicate Refractory Ceramic Fibres Δ	(Index No. 650-017-00-8)	ND
72	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	112-49-2	ND
73	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	ND
74	Diboron trioxideΔ	1303-86-2	ND



Intertek Testing Services Shenzhen Ltd.- Hardlines

深圳天祥质量技术服务有限公司-轻工产品事业部

301A, 302B, 6/F. 7/F Shekou Technology Main Bldg. and Room 1E of Nanshan Building,

Nanhai Ave., Nanshan District, Shenzhen, China

深圳市南山区南海大道科技大厦 301A、302B、六层、七层、南山大厦 1 楼 1E 房

Tel: (86-755) 2602 0111 Fax: (86-755) 2683 7118/9 Postcode: 518067

www.intertek.com www.intertek.com.cn China Toll-Free:400 886 9926

Attention is drawn to the terms and conditions printed overleaf.

Test Report

Number: SZHH01035830

Tests Conducted

Chemical Substance		CAS No.	Results % (w/w) Tested component (1)
75	Formamide	75-12-7	ND
76	Lead(II) bis(methanesulfonate) Δ	17570-76-2	ND
77	TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione)	2451-62-9	ND
78	β-TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	59653-74-6	ND
79	4,4'-bis(dimethylamino)benzophenone (Michler's ketone)	90-94-8	ND
80	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	ND
81	[4-[4,4'-bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	548-62-9	ND
82	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylen]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	2580-56-5	ND
83	α,α-Bis[4-(dimethylamino)phenyl]-4-(phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	6786-83-0	ND
84	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	561-41-1	ND



Intertek Testing Services Shenzhen Ltd.- Hardlines

深圳天祥质量技术服务有限公司-轻工产品事业部

301A, 302B, 6/F. 7/F Shekou Technology Main Bldg. and Room 1E of Nanshan Building,

Nanhai Ave., Nanshan District, Shenzhen, China

深圳市南山区南海大道科技大厦 301A、302B、六层、七层、南山大厦 1 楼 1E 房

Tel: (86-755) 2602 0111 Fax: (86-755) 2683 7118/9 Postcode: 518067

www.intertek.com www.intertek.com.cn China Toll-Free:400 886 9926

Attention is drawn to the terms and conditions printed overleaf.

Test Report

Number: SZHH01035830

Tests Conducted

Chemical Substance		CAS No.	Results % (w/w) Tested component (1)
85	Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	1163-19-5	ND
86	Pentacosafuorotridecanoic acid	72629-94-8	ND
87	Tricosafuorododecanoic acid	307-55-1	ND
88	Henicosafuoroundecanoic acid	2058-94-8	ND
89	Heptacosafuorotetradecanoic acid	376-06-7	ND
90	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	ND
91	Cyclohexane-1,2-dicarboxylic anhydride [1]	85-42-7	ND
	cis-cyclohexane-1,2-dicarboxylic anhydride [2]		
	trans-cyclohexane-1,2-dicarboxylic anhydride [3]	13149-00-3	
	[The individual cis- [2] and trans- [3] isomer substances and all possible combinations of the cis- and trans-isomers [1] are covered by this entry].	14166-21-3	
92	Hexahydromethylphthalic anhydride [1],	25550-51-0 19438-60-9 48122-14-1 57110-29-9	ND
	Hexahydro-4-methylphthalic anhydride [2],		
	Hexahydro-1-methylphthalic anhydride [3],		
	Hexahydro-3-methylphthalic anhydride [4]		
	[The individual isomers [2], [3] and [4] (including their cis- and trans- stereo isomeric forms) and all possible combinations of the isomers [1] are covered by this entry]		



Intertek Testing Services Shenzhen Ltd.- Hardlines

深圳天祥质量技术服务有限公司-轻工产品事业部

301A, 302B, 6/F. 7/F Shekou Technology Main Bldg. and Room 1E of Nanshan Building,

Nanhai Ave., Nanshan District, Shenzhen, China

深圳市南山区南海大道科技大厦 301A、302B、六层、七层、南山大厦 1 楼 1E 房

Tel: (86-755) 2602 0111 Fax: (86-755) 2683 7118/9 Postcode: 518067

www.intertek.com www.intertek.com.cn China Toll-Free:400 886 9926

Attention is drawn to the terms and conditions printed overleaf.

Test Report

Number: SZHH01035830

Tests Conducted

Chemical Substance		CAS No.	Results % (w/w) Tested component (1)
93	4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	--	ND
94	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues]	--	ND
95	Methoxyacetic acid	625-45-6	ND
96	N,N-dimethylformamide	68-12-2	ND
97	Dibutyltin dichloride (DBTC) Δ	683-18-1	ND
98	Lead monoxide (Lead oxide) Δ	1317-36-8	ND
99	Orange lead (Lead tetroxide) Δ	1314-41-6	ND
100	Lead bis(tetrafluoroborate) Δ	13814-96-5	ND
101	Trilead bis(carbonate)dihydroxide Δ	1319-46-6	ND
102	Lead titanium trioxideΔ	12060-00-3	ND
103	Lead titanium zirconium oxideΔ	12626-81-2	ND
104	Silicic acid, lead salt Δ	11120-22-2	ND
105	Silicic acid (H ₂ SiO ₅), barium salt (1:1), lead-dopedΔ [with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008]	68784-75-8	ND



Intertek Testing Services Shenzhen Ltd.- Hardlines

深圳天祥质量技术服务有限公司-轻工产品事业部

301A, 302B, 6/F. 7/F Shekou Technology Main Bldg. and Room 1E of Nanshan Building,

Nanhai Ave., Nanshan District, Shenzhen, China

深圳市南山区南海大道科技大厦 301A、302B、六层、七层、南山大厦 1 楼 1E 房

Tel: (86-755) 2602 0111 Fax: (86-755) 2683 7118/9 Postcode: 518067

www.intertek.com www.intertek.com.cn China Toll-Free:400 886 9926

Attention is drawn to the terms and conditions printed overleaf.

Test Report

Number: SZHH01035830

Tests Conducted

Chemical Substance		CAS No.	Results % (w/w)
			Tested component
			(1)
106	1-bromopropane (n-propyl bromide)	106-94-5	ND
107	Methyloxirane (Propylene oxide)	75-56-9	ND
108	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	ND
109	Diisopentylphthalate (DIPP)	605-50-5	ND
110	N-pentyl-isopentylphthalate	776297-69-9	ND
111	1,2-diethoxyethane	629-14-1	ND
112	Acetic acid, lead salt, basicΔ	51404-69-4	ND
113	Lead oxide sulfateΔ	12036-76-9	ND
114	[Phthalato(2-)]dioxotrileadΔ	69011-06-9	ND
115	Dioxobis(stearato)trileadΔ	12578-12-0	ND
116	Fatty acids, C16-18, lead saltsΔ	91031-62-8	ND
117	Lead cyanamideΔ	20837-86-9	ND
118	Lead dinitrateΔ	10099-74-8	ND
119	Pentalead tetraoxide sulphateΔ	12065-90-6	ND
120	Pyrochlore, antimony lead yellowΔ	8012-00-8	ND
121	Sulfurous acid, lead salt, dibasicΔ	62229-08-7	ND
122	TetraethylleadΔ	78-00-2	ND
123	Tetralead trioxide sulphateΔ	12202-17-4	ND
124	Trilead dioxide phosphonateΔ	12141-20-7	ND
125	Furan	110-00-9	ND
126	Diethyl sulphate	64-67-5	ND
127	Dimethyl sulphate	77-78-1	ND
128	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	ND
129	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	88-85-7	ND
130	4,4'-methylenedi-o-toluidine	838-88-0	ND
131	4,4'-oxydianiline and its salts	101-80-4	ND
132	4-aminoazobenzene	60-09-3	ND
133	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	95-80-7	ND
134	6-methoxy-m-toluidine (p-cresidine)	120-71-8	ND
135	Biphenyl-4-ylamine	92-67-1	ND
136	o-aminoazotoluene [(4-o-tolylazo-o-toluidine)]	97-56-3	ND
137	o-toluidine	95-53-4	ND



Intertek Testing Services Shenzhen Ltd.- Hardlines

深圳天祥质量技术服务有限公司-轻工产品事业部

301A, 302B, 6/F. 7/F Shekou Technology Main Bldg. and Room 1E of Nanshan Building,

Nanhai Ave., Nanshan District, Shenzhen, China

深圳市南山区南海大道科技大厦 301A、302B、六层、七层、南山大厦 1 楼 1E 房

Tel: (86-755) 2602 0111 Fax: (86-755) 2683 7118/9 Postcode: 518067

www.intertek.com www.intertek.com.cn China Toll-Free:400 886 9926

Attention is drawn to the terms and conditions printed overleaf.

Test Report

Number: SZHH01035830

Tests Conducted

Chemical Substance		CAS No.	Results % (w/w) Tested component (1)
138	N-methylacetamide	79-16-3	ND
139	Cadmium Δ	7440-43-9	ND
140	Cadmium oxide Δ	1306-19-0	ND
141	Dipentyl phthalate (DPP)	131-18-0	ND
142	4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	--	ND
143	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	ND
144	Pentadecafluorooctanoic acid (PFOA)	335-67-1	ND
145	Cadmium sulphide Δ	1306-23-6	ND
146	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	ND
147	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	ND
148	Dihexyl phthalate (DnHP)	84-75-3	ND
149	Imidazolidine-2-thione (2-imidazoline-2-thiol)	96-45-7	ND
150	Lead di(acetate) Δ	301-04-2	ND
151	Trixylyl phosphate	25155-23-1	ND



Intertek Testing Services Shenzhen Ltd.- Hardlines

深圳天祥质量技术服务有限公司-轻工产品事业部

301A, 302B, 6/F. 7/F Shekou Technology Main Bldg. and Room 1E of Nanshan Building,

Nanhai Ave., Nanshan District, Shenzhen, China

深圳市南山区南海大道科技大厦 301A、302B、六层、七层、南山大厦 1 楼 1E 房

Tel: (86-755) 2602 0111 Fax: (86-755) 2683 7118/9 Postcode: 518067

www.intertek.com www.intertek.com.cn China Toll-Free:400 886 9926

Attention is drawn to the terms and conditions printed overleaf.

Test Report

Number: SZHH01035830

Tests Conducted

Chemical Substance		CAS No.	Results % (w/w) Tested component (1)
152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear (Diisohexyl phthalate(DIHP))	68515-50-4	ND
153	Cadmium chlorideΔ	10108-64-2	ND
154	Sodium perborate; perboric acid, sodium saltΔ	--	ND
155	Sodium peroxometaborateΔ	7632-04-4	ND
156	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	ND
157	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	ND
158	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	15571-58-1	ND
159	Cadmium fluorideΔ	7790-79-6	ND
160	Cadmium sulphateΔ	10124-36-4; 31119-53-6	ND
161	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	15571-58-1; 27107-89-7	ND
162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5)	68515-51-5 68648-93-1	ND



Intertek Testing Services Shenzhen Ltd.- Hardlines

深圳天祥质量技术服务有限公司-轻工产品事业部

301A, 302B, 6/F. 7/F Shekou Technology Main Bldg. and Room 1E of Nanshan Building,

Nanhai Ave., Nanshan District, Shenzhen, China

深圳市南山区南海大道科技大厦 301A、302B、六层、七层、南山大厦 1 楼 1E 房

Tel: (86-755) 2602 0111 Fax: (86-755) 2683 7118/9 Postcode: 518067

www.intertek.com www.intertek.com.cn China Toll-Free:400 886 9926

Attention is drawn to the terms and conditions printed overleaf.

Test Report

Number: SZHH01035830

Tests Conducted

Chemical Substance		CAS No.	Results % (w/w) Tested component (1)
163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof]	117933-89-8	ND
164	Nitrobenzene	98-95-3	ND
165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	ND
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	ND
167	1,3-propanesultone	1120-71-4	ND
168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1 21049-39-8 4149-60-4	ND

SVHC = Substance of very high concern
 ND = Not detected
 Reporting limit = 0.010%
 Δ = Determination was based on elemental analysis. The content was calculated based on assumption of worst-case.

(II) Tested component: (1) Black plastic with printings (white, red) (belt).



Test Report

Number: SZHH01035830

Tests Conducted

Notes:

Substances of very high concern (SVHC) are classified as:

Carcinogenic, mutagenic or toxic to reproduction category 1 (proven on humans) and category 2 (proven on animals)

Persistent, bioaccumulative and toxic chemicals (PBT)

Very persistent and very bioaccumulative chemicals (vPvB)

Other similar substances such as endocrine disruptors

If the imported or manufactured volume of each individual SVHC in article is more than 0.1% (w/w) and if it exceeds 1 tonne per year across all product ranges, then importer or manufacturer require notification to the European Chemical Agency (ECHA). For substances included in the Candidate List on or after 1 December 2010, the notifications have to be submitted no later than 6 months after the inclusion. The following information has to be submitted for notification:

Identification of the registrant and the substance

Classification and labelling of the substance

Description of use of the substance and the article

Registration number, if available

Tonnage range

REACH requirement:

As per article 33(1) of regulation (EC) No. 1907/2006 (REACH), recipients of product must be provided with information of safe use if any of the tested substances (SVHC) exceeded 0.1% (w/w). A product meets the requirement of article 33(1) by default when no SVHC exceeds 0.1% (w/w).

End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.



Page 12 of 12

Intertek Testing Services Shenzhen Ltd.- Hardlines

深圳天祥质量技术服务有限公司-轻工产品事业部

301A, 302B, 6/F. 7/F Shekou Technology Main Bldg. and Room 1E of Nanshan Building,

Nanhai Ave., Nanshan District, Shenzhen, China

深圳市南山区南海大道科技大厦 301A、302B、六层、七层、南山大厦 1 楼 1E 房

Tel: (86-755) 2602 0111 Fax: (86-755) 2683 7118/9 Postcode: 518067

www.intertek.com www.intertek.com.cn China Toll-Free: 400 886 9926

Attention is drawn to the terms and conditions printed overleaf.